ORDER FOR SUPPLIES OR SERVICES										PAGE 1 OF 8		
1. CONTRACT PURCH ORDER/AGREEMENT NO. 2. DELIVERY ORDER/O				/CALL NO.	3. DATE OF ORD (YYYYMMMDD)			JISITION/PURCH RE	QUEST NO.	5. PRIORITY		
DAAE20-02-G-0009 BR3L 6. ISSUED BY CODE W56HZV				7. ADMINIST	2004MAY05 TERED BY (If other				2305A	DOA4 8. DELIVERY FOB		
TACOM WARREN BLDG 231 AMSTA-AQ-AHPB DEBORAH ROTH (586)574-8055 WARREN, MICHIGAN 48397-5000 EMAIL: ROTHD@TACOM.ARMY.MIL HTTP://CONTRACTING.TACOM.ARMY.MIL					U.S (' ATT: WAR	DCMA DETROIT U.S. ARMY TANK & AUTOMOTIVE COMMAND (TACOM) ATTN: DCMAE-GJD WARREN, MI 48397-5000					DESTINATION X OTHER (See Schedule if	
9. CONTR	ACTOR			CODE	7W356	SCD: A FACIL		10. DI	37	other) 11. X IF BUSINESS IS		
	•				•	•	•	(Y	YYYYMMMDI	D)		SMALL
			OYNAMICS LAND SY JND ROAD	/STEMS]	INC.			SEE	SCHEDULE	3		SMALL
NAME AND ADDRESS	STERLI		HEIGHTS, MI. 48	3310-326	50		12. DISCOUNT TERMS					DISADVANTAGED WOMAN-OWNED
ADDRESS								13. M	AIL INVOICE	S TO THE ADDRESS	IN BLOCK	
	• TYPE B	USI	NESS: Large Bus	siness I	Performing	g in U.S.	•	See	Block 15	5		
14. SHIP T				CODE		1	T WILL BE MADE	BY		COD	н н н н н н н н н н н н н н н н н н н	MARK ALL
SEE	SCHEDULE					DFA P.O	S - COLUMBUS S-CO/NORTH EI D. BOX 182266 JUMBUS OH	NTITLE	EMENT OPER	RATION		PACKAGES AND PAPERS WITH IDENTIFICATION NUMBERS IN BLOCKS 1 AND 2
16.	DELIVERY/ CALL	х	THIS DELIVERY ORDE	R IS ISSUED	ON ANOTHER (GOVERNMENT AG	GENCY OR IN ACCOR	DANCE W	VITH AND SUBJE	ECT TO TERMS AND COM	NDITIONS OF ABOV	E NUMBERED CONTRACT.
TYPE OF ORDER	BUDGHASE		Reference your	Oral			specified herein	, D	Pated			
	PURCHASE			E CONTRA	CTOR HEREI	BY ACCEPTS T						MAY PREVIOUSLY HAVE
								SIGNED MMMDD)				
	OUNTING AND A	APPI	ROPRIATION DATA/LO	OCAL USE								
18. ITEM NO. 19. SCHEDULE OF SUPPLIES/SERVICE					20. QUANTIT ORDERED/ ACCEPTED*	Y	21. UNIT	22. UNIT PRICE	23. AMOUNT			
SEE SCHEDULE CONTRACT TYPE: Firm-Fixed-Price KIND OF CONTRACT: Supply Contracts and Priced Orders												
* If quantity	accepted by the	Gov	vernment is 2	4. UNITED	STATES OF A	AMERICA					25. TOTAL	\$20,229.88
	uantity ordered, t, enter actual qu		cate by X. ty accepted below			WITTE /SI ACOM.ARMY.	GNED/ MIL (586)574	-7196			26. DIFFERENCES	
	rdered and encir NTITY IN COLU			BY:				CON	TRACTING/O	RDERING OFFICER		
	PECTED					ORMS TO CON	TRACT EXCEPT A	S NOTE				
b. SIGNATURE OF AUTHORIZED GOVERNMENT REPRESENTATIVE c. DATE (YYYYMMMDD) d. PRINTED NAME AND TITLE OF AUTHORIZE REPRESENTATIVE								OF AUTHORIZE	D GOVERNMENT			
e. MAILING ADDRESS OF AUTHORIZED GOVERNMENT REPRESENTATIVE					28. SHIP. NO.	28. SHIP. NO. 29. D.O. VOUCHER NO.		30. INITIALS				
f. TELEPHONE NUMBER g. E-MAIL ADDRESS						$\dashv \vdash$	PARTIAL 32. PAID BY			33. AMOUNT V	ERIFIED CORRECT FOR	
					31. PAYMENT	FINAL YMENT 34. CHECK NUMBER			MBER			
36. I CERTIFY THIS ACCOUNT IS CORRECT AND PROPER FOR PAYMENT.						СОМРІ	LETE			25 BH L OF L	DING NO	
a. DATE b. SIGNATURE AND TITLE OF CERTIFYING OFFICER (YYYYMMMDD)					OFFICER	PARTIA FINAL				IDING NO.		
37. RECEIVED AT 38. RECEIVED BY (Print) 39. DATE RECEIVED (YYYYMMMDD)				40. TOTAL CO	ON-	41. S/R ACCOUNT NUMBER 42. S/R VOUCHER NO.			ER NO.			

Reference No. of Document Being Continued

PIIN/SIIN DAAE20-02-G-0009/BR3L

MOD/AMD

Page 2 of 8

Name of Offeror or Contractor: General dynamics land systems inc.

SUPPLEMENTAL INFORMATION

CONTRACT DAAE20-02-G-0009 DELIVERY ORDER BR3L

1. INSPECTION, ACCEPTANCE, FOB SHIPPING ADDRESS IS AS FOLLOWS:

GDLS/IMPERIAL VALLEY OPERATIONS 450 ATEN ROAD IMPERIAL VALLEY, CA 92251

2. THE PRICE FOR THIS D.O. IS ACCEPTABLE TO BOTH PARTIES PER GOVT E-MAIL DATED 05 APR 2004 (REFERENCE : GDLS PROPOSAL #Q-0778, DATE 01 APR 2004).

*** END OF NARRATIVE A 001 ***

Reference No. of Document Being Continued PIIN/SIIN DAAE20-02-G-0009/BR3L MOD/AMD

Page 3 of 8

Name of Offeror or Contractor: General Dynamics Land Systems inc.

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	SUPPLIES OR SERVICES AND PRICES/COSTS				
0001	NSN: 7025-01-463-9189 FSCM: 19207 PART NR: 12346291-2 SECURITY CLASS: Unclassified				
0001AA	PRODUCTION QUANTITY	44	EA	\$ 459.77000	\$\$
	NOUN: COUPLER, DIGITAL DAT PRON: EH4Y1261EH PRON AMD: 02 ACRN: AA AMS CD: 070011				
	Description/Specs./Work Statement TOP DRAWING NR: TDP 12346291-2 DATE: 03-DEC-2003				
	Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING CLAUSE 52.211-4515 LEVEL PRESERVATION: Military LEVEL PACKING: B				
	Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin				
	Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W56HZV33335S856 W90454 J 1 DEL REL CD QUANTITY DEL DATE 001 22 16-MAR-2005 002 22 16-APR-2004				
	FOB POINT: Origin SHIP TO: FREIGHT ADDRESS (W90454) XR W4GG HQ US ARMY TACOM TEAM ABRAMS PARTNERSHIP FACILITY WHSE BLDG 88037 LOGISTICS LANE FT HOOD TX 76544-5060				
	CONTRACT/DELIVERY ORDER NUMBER DAAE20-02-G-0009/BR3L				

Reference No. of Document Being Continued PIIN/SIIN DAAE20-02-G-0009/BR3L MOD/AMD

Page 4 of 8

Name of Offeror or Contractor: General Dynamics Land Systems inc.

SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
FSCM: 19207 PART NR: 12346291-2 SECURITY CLASS: Unclassified				
Option Quantity	44	EA	\$ 459.77000	\$ 20,229.88
NOUN: COUPLER, DIGITAL DATA				
OPTION QUANTITY, PURSUANT TO SECTION I CLAUSE ENTITLED OPTION FOR INCREASED QUANTITY SEPARATELY PRICED LINE ITEM				
The quantity stated for the option CLIN DOES NOT Form a part of the basic contractual quantity. Part or all of it may, however, be added to the contract by exercise of the option clause, at the discretion of the Government.				
(End of narrative B001)				
If your company proposes a delivery schedule longer or less than the schedule reflected in Schedule B of the solicitation, the option period will be 30 days less than this new proposed schedule. (End of parrative B002)				
Description/Specs./Work Statement TOP DRAWING NR: TDP 12346291-2 DATE: 03-DEC-2003				
Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING CLAUSE 52.211-4515 LEVEL PRESERVATION: Military LEVEL PACKING: B				
Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin				
Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 DEL REL CD QUANTITY DEL DATE 001 44 UNDEFINITIZED				
	FSCM: 19207 PART NR: 12346291-2 SECURITY CLASS: Unclassified Option Quantity NOUN: COUPLER, DIGITAL DATA OPTION QUANTITY, PURSUANT TO SECTION I CLAUSE ENTITLED OPTION FOR INCREASED QUANTITY SEPARATELY PRICED LINE ITEM The quantity stated for the option CLIN DOES NOT Form a part of the basic contractual quantity. Part or all of it may, however, be added to the contract by exercise of the option clause, at the discretion of the Government. (End of narrative B001) If your company proposes a delivery schedule longer or less than the schedule reflected in Schedule B of the solicitation, the option period will be 30 days less than this new proposed schedule. (End of narrative B002) Description/Specs./Work Statement TOP DRAWING NR: TDP 12346291-2 DATE: 03-DEC-2003 Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING CLAUSE 52.211-4515 LEVEL PRESERVATION: Military LEVEL PRESERVATION: Military LEVEL PRESERVATION: Military LEVEL PRESERVATION: Origin ACCEPTANCE: Origin Deliveries or Performance DOC SUPPL REL CD MILSTRP ADDR SIG CD MARK FOR TP CD 001	FSCM: 19207 PART NR: 12346291-2 SECURITY CLASS: Unclassified Option Quantity 44 NOUN: COUPLER, DIGITAL DATA OPTION QUANTITY, PURSUANT TO SECTION I CLAUSE ENTITLED OPTION FOR INCREASED QUANTITY SEPARATELY PRICED LINE ITEM The quantity stated for the option CLIN DOES NOT Form a part of the basic contractual quantity. Part or all of it may, however, be added to the contract by exercise of the option clause, at the discretion of the Government. (End of narrative B001) If your company proposes a delivery schedule longer or less than the schedule reflected in Schedule B of the solicitation, the option period will be 30 days less than this new proposed schedule. (End of narrative B002) Description/Specs./Work Statement TOP DRAWING NR: TOP 12346291-2 DATE: 03-DEC-2003 Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING CLAUSE 52.211-4515 LEVEL PRESERVATION: Military LEVEL PRESERVATION: Military LEVEL PACKING: B Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001	FSCM: 19207 PART NR: 12346291-2 SECURITY CLASS: Unclassified Option Quantity Option Quantity Option Quantity Option Quantity Option Option For Increased Quantity SEDARATELY PRICED LINE TERM The quantity stated for the option CLIN DOES NOT Form a part of the basic contractual quantity. Part or all of it may, however, be added to the contract by exercise of the option clause, at the discretion of the Government. (End of narrative B001) If your company proposes a delivery schedule longer or less than the schedule reflected in Schedule B of the solicitation, the option period will be 30 days less than this new proposed schedule. (End of narrative B002) Description/Specs./Mork Statement TOP DRAWING NR: TDP 12346291-2 DATE: 03-DEC-2003 PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING CLAUSE 52.211-4515 LEVEL PRESERVATION: Military LEVEL PACKING: B Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin Deliveries or Performance DOC SUPPL ENL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001	PSCM: 19207 PART NR: 12346291-2 SECURITY CLASS: Unclassified Option_Quantity

Reference No. of Document Being Continued PIIN/SIIN DAAE20-02-G-0009/BR3L MOD/AMD

Page 5 of 8

Name of Offeror or Contractor: GENERAL DYNAMICS LAND SYSTEMS INC.

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	FOB POINT: Origin				
	SHIP TO: PARCEL POST ADDRESS				
	(Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE				
	(SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR				
	ITEMS REQUIRED UNDER THIS				
	REQUISITION.				
	CONTRACT/DELIVERY ORDER NUMBER				
	DAAE20-02-G-0009/BR3L				

	CONTIN	CHEET	Reference No. of Document Being Continued						Page 6 of 8	
	CONTIN	SHEET	PIIN/SIIN DAAE20-02-G-0009/BR3L			MOD/AMD				
Name of Offeror or Contractor: General Dynamics Land Systems Inc.										
CONTRAC	T ADMINISTRA	TION DATA								
	PRON/						JOB			
LINE	AMS CD/	OBLG					ORDER	ACCOUNTI	NG	OBLIGATED
<u>ITEM</u>	MIPR	ACRN STAT	ACCOUNTING	CLASSIFICATION			NUMBER	STATION		AMOUNT
0001AA	EH4Y1261EH	AA 2	97 X4930A	C6D 6D	26FB	S20113		W56HZV	\$	20,229.88
	070011									
								TOTAL	\$	20,229.88
SERVICE							ACCOU	NTING		OBLIGATED
NAME	TOTA	L BY ACRN	ACCOUNTING	CLASSIFICATION			STATIO	ON		AMOUNT
Army		AA	97 X4930A	C6D 6D	26FB	S20113	W56HZ	V	\$_	20,229.88
								TOTAL	\$	20,229.88

Reference No. of Document Being Continued

PIIN/SIIN DAAE20-02-G-0009/BR3L

MOD/AMD

Page 7 of 8

Name of Offeror or Contractor: General Dynamics Land Systems inc.

CONTRACT CLAUSES

1

Regulatory Cite	Title	Date
52.211-4515	PACKAGING REQUIREMENT (SPECIAL PACKAGING INSTRUCTIONS)	MAR/2004

- (a) Military preservation, packing, and marking for this contract/order shall be accomplished in accordance with the specific requirements identified below, all the applicable requirements of, MIL-STD-2073-1, Revision D, Dated 15 Dec 1999 and Notice 1, dated 10 May 2002, and the Special Packaging Instruction, see below.
 - (1) LEVEL OF PRESERVATION: Military
 - (2) LEVEL OF PACKING: B
 - (3) QUANTITY PER UNIT PACKAGE: 001
 - (4) SPECIAL PACKAGING INSTRUCTION NUMBER. AK14639189
 - (a) REVISION As listed in TDPL
 - (b) DATE OF REVISION As listed on TDPL
- (b) Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage
 - (c) Marking:
- (1) In addition to any special markings called out on the SPI, all unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P, Dated 15 Dec 2002, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract/order or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel.
- (2) Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. For shipments moving to overseas locations and for mobile deployable units, the in-the-clear address must also include the host country geographic address and the APO/FPO address. A Military Shipment Label (MSL) is required for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. DVD shipment documentation must also be marked with additional bar codes. The DD Form 250 or the commercial packing list shall have additional issue/receipt bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin, Red River, Anniston). Packing lists are required in accordance with the Standard, see paragraph 5.3.
- (3) Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee".
- (4) Military Shipping Label: Military Shipment Labels(MSLs) may be created using commercially available programs. These commercial programs can generate a MIL-STD-129 and Defense Transportation Regulation compliant MSLs and package labels. For example, the EasyForm MSL at http://www.easysoftcorp.com/products/Software/MSL.html. Insure that the ship to and mark for in-the-clear delivery address is complete including:consignees name, organization, department name, office, building, room, street address, city, state, country code, & DODAAC.
- (d) Heat Treatment and Marking of Wood Packaging Materials: Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign

Reference No. of Document Being Continued

PIIN/SIIN DAAE20-02-G-0009/BR3L

MOD/AMD

Page 8 of 8

Name of Offeror or Contractor: General Dynamics Land Systems inc.

manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program.

- (e) Hazardous Materials(As applicable):
- (1) Hazardous Materials is defined as a substance, or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)
- (2) Unless otherwise specified, packaging and marking for hazardous material shall comply with the requirements herein for the mode of transport and the applicable performance packaging contained in the following documents:

International Air Transport Association (IATA) Dangerous Goods Regulations International Maritime Dangerous Goods Code (IMDG)
Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49
Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO
P4030.19/DLAM 4145.3 (for military air shipments).

- (3) If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers. A Product Material Safety Data Sheets (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.
- (f) This SPI has been validated and the method of preservation/packing has proven successful in meeting the needs of the military distribution system, including indeterminate storage and shipment throughout the world. Special instructions and/or tailoring of the SPI is detailed in the Supplemental Instructions below. A prototype package is required to validate the sizes and fit requirements of the SPI. Minor dimensional and size changes are acceptable provided contractor provides the PCO and ACO with notification 60 days prior to delivery. Any design changes or changes in the method of preservation that provide a cost savings without degrading the method of preservation or packing or affecting the serviceability of the item will be considered and responded to within 10 days of submission to PCO and ACO. Government reserves the right to require testing to validate alternate industrial preservation methods, materials, alternate blocking, bracing, cushioning, and packing.
 - (f) SUPPLEMENTAL INSTRUCTIONS: -6-

[End of Clause]